

WGDisasters Seismic Hazards Demonstrator

Theodora Papadopoulou, c/o ESA


Philippe Bally, ESA

Stefano Salvi, INGV

WGDisasters-16 Meeting

Virtual Meeting

21-23 September 2021







Aims to provide satellite data to generate EO based scientific information to be shared with decision makers for seismic hazard assessment

- Pursue global tectonics mapping in the long term
- Expand active fault mapping from regional to global coverage primarily using VHR optical data supporting supporting geomorphological and morpho-tectonics studies
- Exploit EO data to derive advanced research products for earthquake response: expand to target of at least 10-12 EQ per year
- Articulate with EO disaster response capabilities e.g. the Charter to make sure users are aware of and use it.



Data - Yearly quota available and requests



Agency	ASI	CNES	DLR	ESA	
	Cosmo-SkyMed	Pleiades	TerraSAR-X	Sentinel-1 & 2	
Quota <u>per year</u>	650 images	20000 sq. km.	Upon request	Open	

Request no.	Request status	Prime Investigator Affiliation	Data requested	AOI	Number of images requested
2019-R02	Approved	University of Leeds	Pleiades	Central Asia	2322 sq. km. in Central Asia
2019-R03	Approved	University of Leeds	Pleiades	Indonesia	316 sq.km. in Indonesia
2019-R04	Approved	University of Leeds	Pleiades	Ecuador	approx. 3000 sq. km. in Ecuador
2019-R05	Approved	University of Leeds	Pleiades	Nepal	approx. 3000 sq. km. in Nepal
2019-R06	Not received	University of Leeds	Pleiades	Turkey	approx. 3000 sq. km. in Turkey
2019-R07	Approved	University of Leeds	Pleiades	Kenya	approx. 3000 sq. km. in Kenya
2019-R08	Not received	HUA	TerraSAR-X, Cosmo-SkyMed, Pleiades	Greece	N/A in Greece
2019-R09	Not received	HUA	TerraSAR-X, Cosmo-SkyMed, Pleiades	Iran	N/A in Iran
2019-R10	Approved	University of Oxford	Pleiades	Turkmenistan	3,648 (tri-stereo total)
2019-R11	Approved	Argans c/ESA	Cosmo-SkyMed	Durres (Albania)	
2020-R12	Approved	University of Leeds	Pleiades	Elazig (Turkey)	
2020-R13	Rejected by DLR	INGV	TanDEM-X	North Zanjan fault (Iran)	



Data - Yearly quota available and requests (2)



Request no.	Request status	Prime Investigator Affiliation	Data requested	AOI	Number of images requested
2020-R14	Approved	University of Oxford	Pleiades	Dushanbe (Tajikistan)	4.500
2020-R15	Approved	NOA, AUTH, DUTH	Pleiades	Samos island (Greece)	1,500 sq. km. (tri-stereo total)
2020-R16	Approved	University of Oxford	Pleiades	Dushanbe (Tajikistan)	824 sq. km. (tri-stereo total) 1,856 sq. km. (stereo total)
2021-R17	Approved	University of Oxford	Pleiades	Almaty (Kazakhstan)	
2021-R18	Approved	University of Tehran	Cosmo-SkyMed	Tehran (Iran)	4,227 sq. km. (tri-stereo total) 400 images
2021-R19	Approved	INGV, NOA	Cosmo-SkyMed and CSK Second	Times and Theorem (Consess)	40 :
2021-R20	Approved	University of Oxford	Generation Pleiades	Tirnavos, Thessaly (Greece) Shamakhi (Azerbaijan)	19 images per satellite per orbit 5,836 sq. km. (stereo total)
2021-R21	Approved	COMET-University of Leeds	Pleiades	Qinghai (China)	2,421 sq. km (tri-stero total)

Updated Data Requests spreadsheet uploaded on www.ceos.org under Document Managament



On-going studies with optical VHR imagery (1)



Quito, Ecuador), Nairobi (Kenya) and Kathmandu (Nepal), University of Leeds et al.

Tomorrow's Cities: deriving models of multi-hazard risk to inform urban development planning for four major capital cities using Pleiades VHR images

✓ **In progress** (Quito and Kathmandu completed)

Qinghai, China (University of Leeds, COMET et al.)

Deriving DEMs of the **2021 May 21st Mw 7.3 Maduo earthquake** rupture using **Pleiades tri-stereo** data to **map the fault rupture zone**. This will aid field teams in mapping out the rupture in the field, as well as create remotely derived datasets against which to compare this information to improve our understanding of earthquake faulting events.

✓ In progress (investigation of artefacts found)


Shamakhi, Azerbaijan (University of Oxford et al.)

Using Pleiades stereo data to support active fault characterisation and palaeoseismic trenching along the edge of the Caucasus mountains and within the Kura basin, where rapid slip is expected, but evidence of active faulting is subtle.

project co-funded through a UKRI GCRF award

✓ In progress, fieldwork has been postponed for late 2021 - early 2022.

Wetness index used to show movement of water around and into the city of Quito, generated using Pleiades data





On-going studies with optical VHR imagery (2)




Almaty, Kazakhstan (University of Oxford, University of Leeds, COMET, BGS, GEM Foundation et al.)

Active faulting using **Pleiades stereo** data to identify and characterise active fault scarps in urban regions along the Zailisky rangefront in Kazakhstan, including the city of Almaty (2M population) and various other large towns (including Bishkek, Kyrgyzstan).

✓ In progress, DEM analysis combined with a successful palaeo-seismic survey, suggested occasional large earthquakes over the last 10,000 years. (project completion foreseen Q2 2022, results to support further detailed work and interactions with policy makers)

Dushanbe, Tajikistan (University of Oxford)

✓ In progress (presentation follows)





On-going studies with optical VHR imagery (3)



Ashgabat, Turkmenistan (University of Oxford):

Examine the landscape for signs of faulting within urban Ashgabat associated with the destructive 1948 earthquake, and to undertake reconnaissance in support of further palaeo-seismic trenching studies.

✓ **Ongoing with the analysis**, completion of the 1948 study foreseen in summer 2022. Fieldwork in Turkmenistan is postponed (for 2023).

Pamir, Tajikistan (University of Oxford):

Undertake pilot investigations of earthquake rupture associated with the destructive 1911 and 1949 earthquakes at Sarez and Khait and investigate past earthquake behaviour on the major Darwaz fault, for which no historical earthquakes are reported. This project consists of three small polygons of stereo Pleiades data.

- ✓ Khait polygon is **progressing well**, completion foreseen by the end of 2021. 30 cm Worldview-3 data used to provide additional details of some subtle features.
- ✓ Sarez and Darwaz is currently **on hold** (unable to organise the field components of the work, postponed for 2022).




On-going studies with SAR



Thessaly, Greece (INGV and AUTH)

INGV and AUTH started collaboration on joint analysis processing Sentinel-1 and CosmoSkyMed for the Thessaly M6.3 in March 2021 for post seismic relaxation of the area. GEP services are also used.

✓ In progress (further details under the Geohazards Lab presentation)



Composite map of decorrelated areas. Regions suffered extended liquefactions collocate with riverbeds. Contains Copernicus Sentinel-1 modified data.

Tehran, Iran (University of Tehran)

Mapping interseismic strain accumulation over the urban area of Tehran.

✓ Approved, awaiting feedback



Promotion and publications



Examples of processed satellite EO products




Figure 8. Example of co-seismic differential interferogram (left image) using Copernicus Sentinel-1 pre-event (25/02/2021) and post-event (09/03/2021) data, corresponding to the ground motion map (right image) of the Tirnavos (Greece) M6.3 earthquake on 03/03/2021. The ground motion map shows a maximum displacement at -38cm. No rupture reached the surface. Contains modified Copernicus Sentinel data (2021), processed by Aristotle University of Thessaloniki (AUTh).




Figure 9. Example of co-seismic differential interferogram (left image) and interferometric coherence map (right image) of the M6.3 earthquake in Tirnavos (Greece), using Copernicus Sentinel-1 pre-event (25/02/2021) and post-event (09/03/2021) data. Wide-spread liquefactions along river basins and distributed surface deformation are depicted by patterns of low coherence (areas in black) nearby the epicentral area. Contains modified Copernicus Sentinel data (2021), processed online on the Geohazards Exploitation Platform (GEP) by Aristotle University of Thessaloniki (AUTh).

Papers, Presentations, Posters:

> Paper to be submitted

Improving urban risk estimates for Bishkek, Kyrgyzstan, from improved geological knowledge of hazards (Ruth M.J. Amey, John R. Elliott, C. Scott Watson, Richard Walker, Marco Pagani, Vitor Silva, Ekbal Hussain, Kanatbek E. Abdrakhmatov, Sultan Baikulov, Gulkaiyr tilek Kyzy)

Paper published (American Geophysical Journal)

Significant Seismic Risk Potential from Buried Faults Beneath Almaty City, Kazakhstan, revealed from high-resolution satellite DEMs (Ruth M.J. Amey, John R. Elliott, Ekbal Hussain, Richard Walker, MarcoPagani, Vitor Silva, Kanatbek E. Abdrakhmatov, C. Scott Watson)

Web page, articles and Twitter:

- Seismic Demonstrator web page updated
- Several tweets published



Seismic Demonstrator - Next steps



A discussion on the future of the Seismic Demonstrator is scheduled for next week:

- how user needs and EO data requirements have evolved
 - > with support from the Review Process of the Santorini Report
- is there a **need to continue the Demonstrator**:
 - > extend the activity until Q2 2022 (most of studies will have been completed by then) or
 - > evolve to a follow on activity
- how to reshape the strategy of the Demonstrator to better address the user/community needs
 - > SWOT analysis could be performed to facilitate the process
- make sure there is no interruption in data provision for on-going projects





Thank you

Geohazards Lab:

Philippe Bally, ESA philippe.bally@esa.int

Stefano Salvi, INGV <u>stefano.salvi@ingv.it</u>

Theodora Papadopoulou, ARGANS Ltd. c/ ESA tpapadopoulou@argans.co.uk